

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26140	(motor\$5) and (extend\$4 with life\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:13
L10	77	(pump\$5 with (blockage\$5 cavit\$5)) same (motor\$5 with life\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:23
L11	143	(control\$3 adj3 signal\$5) with (pump\$5 near3 (block\$5 cavit\$5)) and (motor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:17
L13	254	(control\$3 adj3 signal\$5) with (pump\$5 near3 (block\$5 cavit\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:19
L14	20	10 and @ad<"19980929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:29
L15	58	11 and @ad<"19980929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:19
L16	96	13 and @ad<"19980929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:19
L18	6	((("6757665") or ("6326758") or ("6289735")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:27

EAST Search History

L19	0	((pump\$5 with (blockage\$5 cavit\$5)) same (motor\$5 with (increa\$5 exten\$4) with life\$3)) with ((modif\$4 adjust\$4) with signal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:28
L20	19	((pump\$5 with (blockage\$5 cavit\$5)) and (motor\$5 with (increa\$5 exten\$4) with life\$3)) and ((modif\$4 adjust\$4) with signal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:34
L21	0	20 and @ad<"19980929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:55
L23	1372	(700/28).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:30
L24	452	(706/15).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:30
L25	624	(318/609).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:30
L26	0	20 and 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:41
L27	0	20 and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:31

EAST Search History

L28	2	20 and 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:33
L29	1914	(increas\$4 extend\$3 extension) near3 (motor\$3 near3 life\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:33
L30	17	(increas\$4 extend\$3 extension) near3 (motor\$3 near3 life\$3) same (control\$3 adj3 signal\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:40
L31	19	(pump\$5 with (blockage\$5 cavit\$5)) and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:34
L32	0	(pump\$5 with (blockage\$5 cavit\$5)) and 30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:39
L33	1914	(increas\$4 extend\$3 extension) near3 (motor\$3 near3 life\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:35
L34	53	(pump\$5 with (blockage\$5 cavit\$5)) and 33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:36
L35	18	34 and @ad<"19980929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:42

EAST Search History

L36	74	(pump\$5 with (blockage\$5 cavit\$5) near9 predetermin\$5 near3 amount)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:41
L37	0	36 and (motor\$3 near3 life\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:40
L38	0	36 and (motor\$3 near9 life\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:41
L39	0	36 and (motor\$3 near9 life\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:41
L40	32	(pump\$5 with (blockage\$5 cavit\$5) near9 predetermin\$5 near3 amount) and motor\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:43
L41	0	40 and (24 25 23)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:41
L42	18	40 and @ad<"19980929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:44
L43	137	(modify\$5 chang\$4 adjust\$4) with (pump\$5 with (blockage\$5 cavit\$5) with predetermin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:43

EAST Search History

L44	61	43 and @ad<"19980929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:51
L45	8	"6004017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:54
L46	260	(motor\$5 with (life\$4 limit\$4)) with (pump\$3) with (cavitat\$5 block\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:55
L47	97	46 and @ad<"19980929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:56
L48	58	(motor\$5 with (life\$4 limit\$4)) with (pump\$3) with (cavitat\$5 blockage\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:55
L49	23	48 and @ad<"19980929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 19:56



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+"motor" +"pump cavitation"

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used: motor pump cavitation

Found 1 of 204,472

Sort results by

relevance


☒ [Save results to a Binder](#)
Try an [Advanced Search](#)

Display results

expanded form


☐ [Search Tips](#)
Try this search in [The ACM Guide](#)
☐ [Open results in a new window](#)

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐1 Software safety: why, what, and how

Nancy G. Leveson

June 1986 **ACM Computing Surveys (CSUR)**, Volume 18 Issue 2**Publisher:** ACM PressFull text available: [pdf\(4.18 MB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Software safety issues become important when computers are used to control real-time, safety-critical processes. This survey attempts to explain why there is a problem, what the problem is, and what is known about how to solve it. Since this is a relatively new software research area, emphasis is placed on delineating the outstanding issues and research topics.

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:

[Adobe Acrobat](#)[QuickTime](#)[Windows Media Player](#)[Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+"motor" +"pump" +"cavitation" +"life"

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used: motor pump cavitation life

Found 1 of 204,472

Sort results by

relevance

☐
[Save results to a Binder](#)
Try an [Advanced Search](#)

Display results

expanded form

☐
[Search Tips](#)
Try this search in [The ACM Guide](#)
☐ Open results in a new window

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐1 [Software safety: why, what, and how](#)

Nancy G. Leveson

June 1986 **ACM Computing Surveys (CSUR)**, Volume 18 Issue 2**Publisher:** ACM PressFull text available: [pdf\(4.18 MB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Software safety issues become important when computers are used to control real-time, safety-critical processes. This survey attempts to explain why there is a problem, what the problem is, and what is known about how to solve it. Since this is a relatively new software research area, emphasis is placed on delineating the outstanding issues and research topics.

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

 Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▼](#)

[Sign in](#)

Google

"lifetime" "extend" "motor" "pump" "cavitation"

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 16,400 for "**lifetime**" "**extend**" "**motor**" "**pump**" "**cavitation**". (0.19 seconds)

Did you mean: "**lifetime**" "**extended**" "**motor**" "**pump**" "**cavitation**"

GlobalSpec: Industrial MRO

Cavitation: Causes and Corrections Trapping Bad Smells ... uses, or stores key lubricants and oils if a facility wants to **extend** equipment **lifetime**. ...

www.globalspec.com/Newsletter/ViewIssue?vol=Vol1Issue2_IndustrialMRO&pub=31&isPastIssue=1 - 53k - [Cached](#) - [Similar pages](#)

TAMU Pump Show Papers

TAMU Pump Show, 1998, **Pump** Impeller **Lifetime** Improvement Through Visual Study of Leading-edge **Cavitation**, Frank C. Visser, Jack J.M. Backx, Jan Geerts, ...

www.rotordynamics.org/PUMPSHOW.htm - 439k - [Cached](#) - [Similar pages](#)

[PDF] 1 WATER RECOVERY SYSTEM (WRS) General Description of System The ...

File Format: PDF/Adobe Acrobat

lifetime lubricated. Each **pump** shall provide a minimum of seventy (70). gallons per minute, at ten (10) feet of head. Each **motor** must have built ...

www.nswash.com/pdf/downloadable_pdf/WATER_RECYCLING_SYSTEM_WRS_.pdf - [Similar pages](#)

[PDF] Intelligent motor provides enhanced diagnostics and control for ...

File Format: PDF/Adobe Acrobat

The impeller housing for the **pump** shown is. made of a transparent material to visually validate the. accuracy of the **motor** as a **cavitation** sensor. ...

ieeexplore.ieee.org/iel5/2218/19054/00880827.pdf?arnumber=880827 - [Similar pages](#)

Motor: Keeping It Cool

It also can be responsible for water **pump cavitation** erosion-corrosion, ... OAT have supplementary additive packages to **extend** the life of the factory fill. ...

silverstone.fortunecity.com/ferrari/464/coolant.htm - 34k - [Cached](#) - [Similar pages](#)

System and method for dynamic multi-objective optimization of ...

The operating conditions detected by the diagnostic component may include **motor**, **motor** drive, or **pump** faults, **pump cavitation**, pipe breakage or blockage, ...

www.patentstorm.us/patents/7050873-description.html - 159k - [Cached](#) - [Similar pages](#)

Fluid pump having magnetic drive - US Patent 5564908

Service **lifetime** refers to the time period that a **pump** may operate ... at least partially vaporize, causing destructive **cavitation** of the **pump** interior. ...

www.patentstorm.us/patents/5564908-description.html - 51k - [Cached](#) - [Similar pages](#)
[More results from www.patentstorm.us]

PFC Equipment Inc. Newsletter

Once identified, **cavitation** can be prevented. Simply put, **cavitation** is the result of liquid being pumped away from the **pump** at a faster rate than liquid ...

www.pfcequip.com/Newsltr_aug_sep2002.shtml - 34k - [Cached](#) - [Similar pages](#)

[PDF] 1475_Fan Drive Brochure 3-8-05.indd

File Format: PDF/Adobe Acrobat - [View as HTML](#)

anti-**cavitation** check valves provide. system integrity. ... **lifetime** operation. Vane. Frame size in any vane **pump** or. **motor** product series remains ...

www.parker.com/hyd/fandrive/Fan_Drive_Brochure_030805.pdf - [Similar pages](#)

Grumpy Old Man's Journal - The ramblings of a dillusional man.

pump cavitation erosion-corrosion, particularly in some ... packages to **extend** the life of the factory fill. Cummins recommends installing an additive ...
fgrump123.livejournal.com/ - 50k - [Cached](#) - [Similar pages](#)

Did you mean to search for: "lifetime" "**extended**" "motor" "pump" "cavitation"

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

"lifetime" "extension" "motor" "pump" "cavitation"

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 18,000 for "**lifetime**" "**extension**" "**motor**" "**pump**" "**cavitation**". (0.13 seconds)

Outboard motor cavitation plate extension - Patent 4744779

Outboard **motor cavitation** plate **extension**. Document Type and Number: the water **pump** of the outboard **motor** 16 may be expected to enjoy a long **lifetime** ...
www.freepatentsonline.com/4744779.html - 35k - [Cached](#) - [Similar pages](#)

Methods and systems for analyzing the degradation and failure of ...

The system of claim 31, further comprising: a **motor** housing **extension** integrally In comparison with the six-month **pump lifetime** associated with the ...
www.freepatentsonline.com/20040030524.html - 78k - [Cached](#) - [Similar pages](#)
[[More results from www.freepatentsonline.com](#)]

[PDF] Qualification Over Ariane's Lifetime

File Format: PDF/Adobe Acrobat - [View as HTML](#)

extension of the development programme (as is done in aeronautics), ... HM7B engine hydrogen **pump**, flights were ... **pump cavitation** had been qualified. ...
www.esa.int/esapub/bulletin/bullet94/GON.pdf - [Similar pages](#)

TAMU Pump Show Papers

TAMU Pump Show, 1998, **Pump** Impeller **Lifetime** Improvement Through Visual Study of TAMU Pump Show, 2004, DEMONSTRATION OF CAVITATION LIFE EXTENSION FOR ...
www.rotordynamics.org/PUMPSHOW.htm - 439k - [Cached](#) - [Similar pages](#)

[PDF] A P V Fluid Handling Variants of the W +

File Format: PDF/Adobe Acrobat - [View as HTML](#)

on the **motor** bearings, whereby the **lifetime** will increase. ... creating a risk of **cavitation**. For these. applications the W+ **pump** is the perfect. choice. ...
www.apv.com/NR/rdonlyres/5C6621A8-6DD7-4639-8E76-71CC41E5E1D0/0/WPlus_bro_UK_Centrifugal.pdf - [Similar pages](#)

Fluid pump having magnetic drive - US Patent 5564908

Service **lifetime** refers to the time period that a **pump** may operate ... at least partially vaporize, causing destructive **cavitation** of the **pump** interior. ...
www.patentstorm.us/patents/5564908-description.html - 51k - [Cached](#) - [Similar pages](#)

System and method for dynamic multi-objective optimization of ...

The operating conditions detected by the diagnostic component may include **motor**, **motor** drive, or **pump** faults, **pump cavitation**, pipe breakage or blockage, ...
www.patentstorm.us/patents/7050873-description.html - 159k - [Cached](#) - [Similar pages](#)
[[More results from www.patentstorm.us](#)]

[PDF] C:\Documents and Settings\ivan kingsley\Desktop\PDF working folder ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

C. Ensures that electrical noise in the thermocouple **extension** wires does not ... C. The potential for **pump cavitation** decreases, and **pump** differential ...
www.nrc.gov/.../generic-fundamentals-examinations/bwr/bwr-files/past-exams/december2005bwr.pdf - [Similar pages](#)

PFC Equipment Inc. Newsletter

Once identified, **cavitation** can be prevented. Simply put, **cavitation** is the result of liquid being pumped away from the **pump** at a faster rate than liquid ...
www.pfcequip.com/Newsltr_aug_sep2002.shtml - 34k - [Cached](#) - [Similar pages](#)

[PDF] [Wireless Sensor Networks: Sensing, Processing, & Visualization](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Efficient power management (targeted 1 week node **lifetime**). – Novel node hardware (CPU core voltage ... Installation at seawater service **pump/motor** in the ...

[www.dtic.mil/ndia/2002nightop/vassiliou.pdf](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

"control signal" "lifetime" "extension" "motor" "

Search

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 193 for "**control signal**" "**lifetime**" "**extension**" "**motor**" "**pump**" "**cavitation**". (0.34 seconds)

System and method for dynamic multi-objective optimization of ...

The operating conditions detected by the diagnostic component may include **motor**, **motor** drive, or **pump** faults, **pump cavitation**, pipe breakage or blockage, ...
www.patentstorm.us/patents/7050873-description.html - 159k - [Cached](#) - [Similar pages](#)

Patents by Date - PatentStorm - Sep. 11, 2001

An ink jet recording apparatus having a sheet forward roller 8 and a **pump** unit 11 connected to a single drive **motor** 7, and a drive force is transmitted to ...
www.patentstorm.us/patents-by-date/2001/0911-20.html - 49k - [Cached](#) - [Similar pages](#)
[[More results from www.patentstorm.us](#)]

[PDF] NERI PROJECT 99-119. TASK 1. ADVANCED CONTROL TOOLS AND METHODS ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
respond properly to the **control signal** and one of the control valves can be opened.
Heat rejection. Tower flow, fans. Water treatment, **Motor- pump** ...
www.ornl.gov/~webworks/cprr/y2001/rpt/114891.pdf - [Similar pages](#)

[PDF] MAINTENANCE OF MECHANICAL AND ELECTRICAL EQUIPMENT AT COMMAND ...

File Format: PDF/Adobe Acrobat
point and prevents **cavitation** in the coolant circulating **pump**. driven by an electric **motor**. **Pump** housings are generally cast iron or carbon steel, ...
www.usace.army.mil/usace-docs/armytm/tm5-692-2/entire.pdf - [Similar pages](#)

[PDF] On-Line Intelligent Self-Diagnostic Monitoring System for Next ...

File Format: PDF/Adobe Acrobat
Cost of Life **Extension-Motor** (M\$). \$13. Cost of Life **Extension-Pump**(M\$) The stroke of the valve is controlled by the **control signal** to the E/P ...
www.pnl.gov/energy/eed/etd/pdfs/pnnl-14304.pdf - [Similar pages](#)

微機電(MEMS)技術-- 美國關鍵專利- [Translate this page]

An AC **pump** voltage at twice the **motor** frequency is applied to the sense ... received from a device component and suitable power and **control signal** sources. ...
[cdnet.stpi.org.tw/techroom/report/mems_key_patents\(4\).htm](http://cdnet.stpi.org.tw/techroom/report/mems_key_patents(4).htm) - 149k - [Cached](#) - [Similar pages](#)

[PDF] Statewide Measure Performance Study #2: An Assessment of Relative ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
the **motor** under constant speed operation does not, as the **pump** must overcome the chance of **cavitation**. Proper application is not directly covered by ...
www.energycodes.gov/implement/pdfs/California_study2_rpt.pdf - [Similar pages](#)

Knowledge Base All Questions and Answers - Bell & Gossett world ...

A: Bell & Gossett has recommended 30% as the minimum speed to ensure adequate **pump** seal cooling and to enable maximum **lifetime** of **pump** and **motor**. ...
fhaspapp.ittind.com/BG-KnowledgeBase-All-Answers.asp?page=5 - 589k - [Cached](#) - [Similar pages](#)

[PDF] 2005 American Control Conference Book of Abstracts

File Format: PDF/Adobe Acrobat
of the resulting smooth system are studied by using the **cavitation** percent of the final value and, the amplitude of the **control signal** is ...
www.ee.washington.edu/conf/acc2005/index_files/2005ACC_BookOfAbstracts2.pdf - [Similar pages](#)

[Autojoy.de - treffen - hifi - club](#)

... cavity rust prevention Hohlraumbildung - **cavitation** Hohlraumversiegelung **pump**

performance Pumpenmembran - **pump** diaphragm Pumpenmotor - **pump motor** ...

[www.wwpagenstecher.de/](#) - 399k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

"control signal" "lifetime" "extension"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)